

● PRINTER RUSH ●

(PTO ASSISTANCE)

S.F
Plant

Application : <u>10/611,359</u>	Examiner : <u>Para</u>	GAU : <u>1661</u>
From: <u>Lee</u>	Location: IDC <u>FMF</u> FDC	Date: <u>1-7-05</u>

Tracking #:

Week Date:

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input checked="" type="checkbox"/> <u>Rees</u>
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: ① PTDL-85 - incorrect
fee code (1501) for a Plant
Application.
Plants have 1503, 2503 fee codes
Please make all necessary corrections
Thank you Lee

[XRUSH] RESPONSE: Corrected

INITIALS: RS

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04